NOVA LUBRICANTS

100% VIRGIN GUARANTEE

★★★ ADDITIVES ★★★
MADE IN GERMANY



Automotive - Marine - Industrial





NOVA PREMIUM MINERAL ENGINE OIL
SAE 20W50 API SL/CF

NOVA SAE 20W50 API SL/CF is designed to protect all gasoline and diesel-powered passenger cars, light trucks, and van including those fitted with turbochargers.

Features

- ✓ Fuel economy and better cold starting.
- ✓ Excellent engine protection in severe weather conditions.
- ✓ Thermal stable and Anti-wear
- ✓ Low oil consumption and turbo-proven stability

Packaging:

1L 4L 5L 20L 208L



NOVA PREMIUM MINERAL ENGINE OIL
SAE 20W-50 API CI-4

NOVA SAE 20W50 API CI-4 lubricant has been formulated with a premium base oil and advanced additive technology to achieve the latest low emission and high-performance requirements of US, European and Japanese engine makers.

Features

- ✓ Advance additive technology provides wear protection and longer oil life.
- ✓ Improved engine cleanliness and protection against piston deposits.
- ✓ Excellent performance in heavy-duty operation.
- ✓ Superior oxidation resistance, soot control, and thermal stability.

Packaging:

1L 4L 5L 20L 208L



NOVA SEMI-SYNTHETIC ENGINE OIL
SAE 10W-40 API SL/CF

NOVA SAE 10W40 API SL/CF is an advanced technology semi-synthetic Engine Oil providing excellent performance in passenger car engines; it is formulated to ensure excellent viscosity retention and superior engine protection under all driving conditions.

Features

- ✓ Excellent engine protection
- ✓ Helps fuel efficiency
- ✓ Suitable for extended drain intervals.
- ✓ Reduces chlorine content to meet the environmental requirements.

Packaging:

1L 4L 5L 20L 208L



NOVA PREMIUM MINERAL ENGINE OIL
ATF DEXRON III

NOVA Automatic Transmission Fluid Dexron III is a superior quality automatic transmission fluid meeting General Motors Dexron III Specifications. It is a special fluid with highly improved performance over DEXRON IID and DEXRON IIE carefully formulated multifunctional power transmission fluid.

Features

- ✓ Excellent shift fueling
- ✓ Extremely low-temperature fluidity
- ✓ Shear stability & wear protection
- ✓ High-temperature oxidation stability

Packaging:

1L 4L 5L 20L 208L



NOVA PREMIUM MINERAL ENGINE OIL
SAE 5W-30 API SN

NOVA SAE 5W30 API SN Fully Synthetic Oil has been formulated for the latest on-road, high-performance and turbo-charged, inter-cooled direct injection high-performance gasoline engines with a normal SAPS passenger car portfolio.

Features

- ✓ Excellent oxidation resistance
- ✓ Excellent low-temperature flow characteristics
- ✓ Excellent detergency and high dispersancy
- ✓ Keeps engine clean under all conditions

Packaging:

1L 4L 5L 20L 208L



NOVA PREMIUM MINERAL ENGINE OIL
SAE 80W90 API GL-4

NOVA SAE 80W90 API GL-4 is a premium quality long-life gearbox oils blended with extreme pressure additives and these oils are environmentally friendly and contain neither lead nor chlorine.

Features

- ✓ Outstanding protection against wear and rust.
- ✓ Longer drain interval and gear life.
- ✓ Good load-carrying capability.
- ✓ Resistance to oxidation and oil thickening and are compatible with oil seals.

Packaging:

1L 4L 5L 20L 208L



NOVA PREMIUM MINERAL ENGINE OIL
SAE 15W-40 API CI-4

NOVA SAE 15W40 API CI-4 lubricant has been formulated with a premium base oil and advanced additive technology to achieve the latest low emission and high-performance requirements of US, European and Japanese engine makers.

Features

- ✓ Advance additive technology provides wear protection and longer oil life.
- ✓ Improved engine cleanliness and protection against piston deposits.
- ✓ Excellent performance in heavy-duty operation.
- ✓ Superior oxidation resistance, soot control, and thermal stability.

Packaging:

1L 4L 5L 20L 208L



NOVA PREMIUM MINERAL ENGINE OIL
SAE 85W140 GL-4

NOVA SAE 85W140 GL-4 is a premium quality long-life gearbox oils blended with extreme pressure additives and these oils are environmentally friendly and contain neither lead nor chlorine.


Features

- ✓ Outstanding protection against wear and rust.
- ✓ Longer drain interval and gear life.
- ✓ Good load-carrying capability.
- ✓ Resistance to oxidation and oil thickening and are compatible with oil seals.

Packaging:

1L 4L 5L 20L 208L





NOVA PREMIUM HYDRAULIC OIL ISO 32



NOVA ISO 32 Hydraulic oils is a premium quality anti-oxidant, anti-wear, and anti-rust hydraulic oils for industrial hydraulic applications blended with selected high-quality base stocks and special additives to give excellent demulsibility, superior oxidation, thermal stability, and excellent load-carrying capacity.

Features

- ✓ Excellent load-carrying capacity.
- ✓ Superior filterability and good water separation.
- ✓ Low friction and hydraulic stability.
- ✓ Excellent air release and antifoam properties

Packaging:

1L | 4L | 5L | 20L | 208L

NOVA SYNTHETIC BRAKE FLUID DOT 3



NOVA Heavy Duty Brake & Clutch Fluid DOT- 3 is a premium glycol quality automotive Brake fluid meeting the specifications of DOT- 3, SAE J1703, and FMVSS No. 116.

Features

- ✓ Long volatility and low pour point ensure performance in the normal temperature range.
- ✓ Protects against rust and corrosion.
- ✓ Good braking response.
- ✓ Reduces chances of vapor lock.

Packaging:

500ML | 250ML | 1L | 4L | 5L | 20L | 208L

NOVA PREMIUM HYDRAULIC OIL ISO 68



NOVA ISO 68 Hydraulic oils is a premium quality anti-oxidant, anti-wear, and anti-rust hydraulic oils for industrial hydraulic applications blended with selected high-quality base stocks and special additives to give excellent demulsibility, superior oxidation, thermal stability, and excellent load-carrying capacity.

Features

- ✓ Excellent load-carrying capacity.
- ✓ Superior filterability and good water separation.
- ✓ Low friction and hydraulic stability.
- ✓ Excellent air release and antifoam properties

Packaging:

1L | 4L | 5L | 20L | 208L

NOVA SYNTHETIC BRAKE FLUID DOT 4



NOVA Heavy Duty Brake & Clutch Fluid DOT- 4 is a premium glycol type quality automotive Brake fluid meeting the specifications of DOT- 4 & DOT 3, SAE J 1704, ISO 4925, and FMVSS No. 116.

Features

- ✓ Long volatility and low pour point ensure performance in the normal temperature range.
- ✓ Protects against rust and corrosion.
- ✓ Good braking response.
- ✓ Reduces chances of vapor lock.

Packaging:

500ML | 250ML | 1L | 4L | 5L | 20L | 208L

NOVA HIGH-TEMPERATURE GREEN COOLANT 33%



NOVA Green Coolant 33% is a mono-ethylene Glycol-based fluid with an anti-rust inhibitor. The concentrate is suitable for all passenger cars, light, and heavy-duty vehicles.

Features

- ✓ Protect against rust and corrosion.
- ✓ Provide excellent heat transfer characteristics.
- ✓ Compatible with all rubber hoses used in cooling systems.
- ✓ Good solubility and stability in both soft and hard water.

Packaging:

1L | 4L | 5L | 20L | 208L

NOVA CALCIUM GENERAL PURPOSE GREASE GP2



NOVA Calcium General Purpose Grease is made from refined mineral base oil thickened with a calcium soap, castor oil, and anti-rust and anti-oxidant additives to provide reliable grease for automotive applications.

Features

- ✓ Outstanding water resistance.
- ✓ Good mechanical and thermal stability.
- ✓ Good anti-corrosion and anti-rust

Packaging:

500GM | 1KGS | 5KGS | 20KGS | 180KGS

NOVA HIGH-TEMPERATURE RED COOLANT 33%



NOVA Red Coolant 33% is a mono-ethylene Glycol-based fluid with an anti-rust inhibitor. The concentrate is suitable for all passenger cars, light, and heavy-duty vehicles.

Features

- ✓ Protect against rust and corrosion.
- ✓ Provide excellent heat transfer characteristics.
- ✓ Compatible with all rubber hoses used in cooling systems.
- ✓ Good solubility and stability in both soft and hard water.

Packaging:

1L | 4L | 5L | 20L | 208L

NOVA LITHIUM EXTREME PRESSURE GREASE EP2



NOVA Extreme Pressure Lithium Greases are made from refined mineral base oil thickened with lithium soap and enhanced with an extreme-pressure agent. Extreme – Pressure greases are very effective in automotive and industrial applications.

Features

- ✓ Outstanding water resistance.
- ✓ Good mechanical and thermal stability maintain consistency
- ✓ Good anti-corrosion and anti-rust properties.
- ✓ Effective extreme pressure and load-bearing qualities.

Packaging:

500GM | 1KGS | 5KGS | 20KGS | 180KGS







GPS

GPS Middle East & Africa

Tel: +971 4 296 2044, E-mail: info@gpsmeaf.com
Office No: 207, Al Ansari Building, Deira,
Dubai - United Arab Emirates





